

# Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Certificate number and Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Certificate number and/or RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

## CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	<b>HEP Tech Co., Ltd.</b>	Other Name	
Address	<b>20 Jingke 7th Rd., Nantun Dist Taichung City 40852 Taiwan</b>		
Client ID	<b>103945</b>	Global-Mark File Number:	<b>103945-027</b>
Certification and Authorized Mark Number	<b>GMA-517709</b>	Revision Number	<b>00</b>
Certification Standard(s)	<b>AS 61347.2.13:2018 &amp; AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.</b>		
Type of Certification	<b>Electrical Safety Product</b>	Scheme	<b>Global-Mark Electrical Product Safety Certification Scheme</b>
			System 1 Approval

## CERTIFICATE DATES

Certificate Issue Date	<b>12/01/2024</b>
Certificate Last Update Date	
Certification Expiry Date	<b>12/01/2029</b>

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jasanz.org/register](http://www.jasanz.org/register) for verification.



Certification Manager



# Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC6W120LRP	Input: 220–240 V, 50–60 Hz, 25 mA; Output: 15–30 Vdc, 120 mA, 1,8–3,6 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC6W150LRP	Input: 220–240 V, 50–60 Hz, 30 mA; Output: 15–30 Vdc, 150 mA, 2,3–4,5 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC6W200LRP	Input: 220–240 V, 50–60 Hz, 40 mA; Output: 15–30 Vdc, 200 mA, 3–6 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC6W250LRP	Input: 220–240 V, 50–60 Hz, 35 mA; Output: 13–19 Vdc, 250 mA, 3,3–4,7 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC6W350LRP	Input: 220–240 V, 50–60 Hz, 45 mA; Output: 13–19 Vdc, 350 mA, 4,6–6,6 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC10W200LRP	Input: 220–240 V, 50–60 Hz, 40 mA; Output: 20–29 Vdc, 200 mA, 4–5,8 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC10W300LRP	Input: 220–240 V, 50–60 Hz, 55 mA; Output: 20–29 Vdc, 300 mA, 6–8,7 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC10W350LRP	Input: 220–240 V, 50–60 Hz, 65 mA; Output: 20–29 Vdc, 350 mA, 7–10,1 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC10W400LRP	Input: 220–240 V, 50–60 Hz, 50 mA; Output: 14–20 Vdc, 400 mA, 5,6–8 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC10W450LRP	Input: 220–240 V, 50–60 Hz, 60 mA; Output: 14–20 Vdc, 450 mA, 6,3–9 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC10W500LRP	Input: 220–240 V, 50–60 Hz, 65 mA; Output: 14–20 Vdc, 500 mA, 7–10 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC15W180LRP	Input: 220–240 V, 50–60 Hz, 50 mA; Output: 30–43 Vdc, 180 mA, 5,4–7,7 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC15W200LRP	Input: 220–240 V, 50–60 Hz, 55 mA; Output: 30–43 Vdc, 200 mA, 6–8,6 W SELV

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jasanz.org/register](http://www.jasanz.org/register) for verification.



**Certification Manager**




# Certificate of Suitability

Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC15W250LRP	Input: 220–240 V, 50–60 Hz, 70 mA; Output: 30–43 Vdc, 250 mA, 7,5–10,7 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC15W300LRP	Input: 220–240 V, 50–60 Hz, 80 mA; Output: 30–43 Vdc, 300 mA, 9–12,9 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC15W350LRP	Input: 220–240 V, 50–60 Hz, 95 mA; Output: 30–43 Vdc, 350 mA, 10,5–15 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC20W300LRP	Input: 220–240 V, 50–60 Hz, 105 mA; Output: 40–58 Vdc, 300 mA, 12–17,4 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC20W350LRP	Input: 220–240 V, 50–60 Hz, 120 mA; Output: 40–58 Vdc, 350 mA, 14–20,3 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC20W400LRP	Input: 220–240 V, 50–60 Hz, 95 mA; Output: 28–40 Vdc, 400 mA, 11,2–16 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC20W450LRP	Input: 220–240 V, 50–60 Hz, 110 mA; Output: 28–40 Vdc, 450 mA, 12,6–18 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC20W500LRP	Input: 220–240 V, 50–60 Hz, 120 mA; Output: 28–40 Vdc, 500 mA, 14–20 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC20W550LRP	Input: 220–240 V, 50–60 Hz, 100 mA; Output: 20–29 Vdc, 550 mA, 11–15,9 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC20W600LRP	Input: 220–240 V, 50–60 Hz, 105 mA; Output: 20–29 Vdc, 600 mA, 12–17,4 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC20W700LRP	Input: 220–240 V, 50–60 Hz, 125 mA; Output: 20–29 Vdc, 700 mA, 14–20,3 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC30W400LRP	Input: 220–240 V, 50–60 Hz, 130 mA; Output: 36–54 Vdc, 400 mA, 14,4–21,6 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC30W450LRP	Input: 220–240 V, 50–60 Hz, 145 mA; Output: 36–54 Vdc, 450 mA, 16,2–24,3 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC30W500LRP	Input: 220–240 V, 50–60 Hz, 160 mA; Output: 36–54 Vdc, 500 mA, 18–27 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC30W550LRP	Input: 220–240 V, 50–60 Hz, 140 mA; Output: 30–42 Vdc, 550 mA, 16,5–23,1 W SELV

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jasanz.org/register](http://www.jasanz.org/register) for verification.



Certification Manager

# Certificate of Suitability

Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC30W600LRP	Input: 220–240 V, 50–60 Hz, 150 mA; Output: 30–42 Vdc, 600 mA, 18–25,2 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC30W700LRP	Input: 220–240 V, 50–60 Hz, 175 mA; Output: 30–42 Vdc, 700 mA, 21–29,4 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC30W800LRP	Input: 220–240 V, 50–60 Hz, 145 mA; Output: 21–30 Vdc, 800 mA, 16,8–24 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC30W900LRP	Input: 220–240 V, 50–60 Hz, 160 mA; Output: 21–30 Vdc, 900 mA, 18,9–27 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC30W1000LRP	Input: 220–240 V, 50–60 Hz, 180 mA; Output: 21–30 Vdc, 1000 mA, 21–30 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC40W500LRP	Input: 220–240 V, 50–60 Hz, 170 mA; Output: 40–57 Vdc, 500 mA, 20–28,5 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC40W600LRP	Input: 220–240 V, 50–60 Hz, 205 mA; Output: 40–57 Vdc, 600 mA, 24–34,2 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC40W700LRP	Input: 220–240 V, 50–60 Hz, 240 mA; Output: 40–57 Vdc, 700 mA, 28–39,9 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC40W800LRP	Input: 220–240 V, 50–60 Hz, 210 mA; Output: 30–44 Vdc, 800 mA, 24–35,2 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC40W850LRP	Input: 220–240 V, 50–60 Hz, 225 mA; Output: 30–44 Vdc, 850 mA, 25,5–37,4 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC40W900LRP	Input: 220–240 V, 50–60 Hz, 240 mA; Output: 30–44 Vdc, 900 mA, 27–39,6 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC40W950LRP	Input: 220–240 V, 50–60 Hz, 215 mA; Output: 27–38 Vdc, 950 mA, 25,7–36,1 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC40W1000LRP	Input: 220–240 V, 50–60 Hz, 230 mA; Output: 27–38 Vdc, 1000 mA, 27–38 W SELV
Non declared	Current controlled LED Driver - Built in	HEP GROUP	LNDC40W1050LRP	Input: 220–240 V, 50–60 Hz, 240 mA; Output: 27–38 Vdc, 1050 mA, 28,4–39,9 W SELV

**RELEVANT TRADEMARK (S)**

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jasanz.org/register](http://www.jasanz.org/register) for verification.



**Certification Manager**


# Certificate of Suitability

--

COMMENTS OR CONDITIONS ON THE CERTIFICATION
Nil

End of document



This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jasanz.org/register](http://www.jasanz.org/register) for verification.



Certification Manager

