



中国国家强制性产品认证证书

证书编号: 2022011002496865

认证委托人名称及地址

威森电子(珠海)有限公司
珠海市金湾区三灶镇阳春路3号

生产者名称及地址

威森电子(珠海)有限公司
珠海市金湾区三灶镇阳春路3号

生产企业名称及地址

威森电子(珠海)有限公司
广东省珠海市金湾区三灶镇阳春路3号

产品名称和系列、型号、规格

LED 模块用交流电子控制装置(LED 控制装置, 内装式, 恒流模式, 安全特低电压, 不可调光, $t_a: 50^{\circ}\text{C}$, $t_c: 70^{\circ}\text{C}/75^{\circ}\text{C}/80^{\circ}\text{C}$, 定温热保护: 110°C)
见附页, 220-240V~ 50/60Hz。

产品标准和技术要求

GB 17625.1-2022; GB/T 17743-2021; GB 19510.1-2009; GB 19510.14-2009

上述产品符合《强制性产品认证实施规则 照明电器》(CNCA-C10-01:2014)的要求, 特发此证。

发证日期: 2024 年 04 月 19 日 有效期至: 2027 年 09 月 13 日

本证书为变更证书, 证书首次颁发日期: 2022 年 09 月 14 日
证书信息和有效性可扫描下方二维码或登录发证机构网站查验,
也可在认监委网站(www.cnca.gov.cn)查询。

经中国合格评定国家认可委员会认可 CNAS C001-P



签发:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司





中国国家强制性产品认证证书

证书编号：2022011002496865

证书附页：第 1 页 共 1 页

序号	型号	输出电流（恒流）	输出电压	最大输出电压	输出功率	tc
1.	G6RT10W200LRP	200mA	30-42Vdc	MAX55Vdc	6-8.4W	70℃
2.	G6RT10W250LRP	250mA	30-42Vdc	MAX55Vdc	7.5-10.5W	75℃
3.	G6RT10W350LRP	350mA	13-26Vdc	MAX35Vdc	4.6-9.1W	80℃
4.	G6RT10W500LRP	500mA	12-20Vdc	MAX27Vdc	6-10W	80℃
5.	G6RT10W700LRP	700mA	8.6-12.9Vdc	MAX25Vdc	6-9W	80℃
输入：220-240V~ 50/60Hz						
备注：以上所有型号规格实测输入功率均小于 25.0W。						

本页为证书附页，应与证书主页同时使用。



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2022011002496865

NAME AND ADDRESS OF THE APPLICANT
WEISEN ELECTRONIC (ZHUHAI) CO.,LTD.

No.3, YangChun Road, Sanzao Town, Jinwan District, Zhuhai City , Guangdong Province, China

NAME AND ADDRESS OF THE MANUFACTURER
WEISEN ELECTRONIC (ZHUHAI) CO.,LTD.

No.3, YangChun Road, Sanzao Town, Jinwan District, Zhuhai City , Guangdong Province, China

NAME AND LOCATION OF THE FACTORY
WEISEN ELECTRONIC (ZHUHAI) CO.,LTD.

No.3, YangChun Road, Sanzao Town, Jinwan District, Zhuhai City , Guangdong Province, China

PRODUCT NAME,MODEL AND SPECIFICATION

A.C.Supplied Electronic Controlgear For LED Modules (Built-in, Constant Current Mode, SELV, Non-dimmable, ta:50°C, tc:70°C/75°C/80°C, Temperature Declared Thermally Protected:110°C)
See Appendix, 220-240V ~ 50/60Hz.

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

Valid from: Apr.19,2024

Valid until: Sep.13,2027

Date of original issued: Sep.14,2022

The certificate information and validity could be checked by scanning the QR code below or logging in to the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. :2022011002496865

Appendix: Page 1 of 1

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

序号	型号	输出电流（恒流）	输出电压	最大输出电压	输出功率	tc
1.	G6RT10W200LRP	200mA	30-42Vdc	MAX55Vdc	6-8.4W	70℃
2.	G6RT10W250LRP	250mA	30-42Vdc	MAX55Vdc	7.5-10.5W	75℃
3.	G6RT10W350LRP	350mA	13-26Vdc	MAX35Vdc	4.6-9.1W	80℃
4.	G6RT10W500LRP	500mA	12-20Vdc	MAX27Vdc	6-10W	80℃
5.	G6RT10W700LRP	700mA	8.6-12.9Vdc	MAX25Vdc	6-9W	80℃
输入：220-240V~ 50/60Hz 备注：以上所有型号规格实测输入功率均小于 25.0W。						

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.