



A P P R O V A L S ®

Certificate of Approval

Certificate No.: SAA-211064-EA

Certificate Holder: HEP Tech Co., Ltd
No. 20 Jingke 7th Rd,
Nantun Dist.,
Taichung 408
Taiwan

Regulatory Definition: Power Supply or Charger
Product Description: LED Driver (Independent SELV, Constant Current, Non IC)
Trade Name/s: HEP GROUP
Model No.: G5S7W150LR-Z
Rating/Marking/s: Input: 220-240Vac 50-60Hz 85mA, 5.4-9W
Output: 32-42Vdc, Max 55Vdc, 150mA, 4.8-6.3W
ta: -20°C to +50°C, Class II, NON IC,
Thermally protected 110°C

Standard/s: AS 61347.2.13:2018

AS/NZS 61347.1:2016 Inc A1

Condition/s: Not suitable for use in residential installations.

Approval Marks: SAA-211064-EA (In accordance with NSW legislative requirements)

Initial Issue Date: 24 June 2021

Expiry Date: 24 June 2026


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 24-06-21 211064
Page 1 of 3



A P P R O V A L S ®

Certificate of Approval

Additional Models	Trade Name	Rating/Marking
G5S7W350LR-Z	HEP GROUP	Input: 220-240Vac 50-60Hz 85mA, 5.68-9.63W Output: 13-22Vdc, Max 35Vdc, 350mA, 4.55-7.7W ta: -20°C to +50°C, Class II, NON IC, Thermally protected 110°C
G5S7W500LR-Z	HEP GROUP	Input: 220-240Vac 50-60Hz 85mA, 4-8.5W Output: 6-13Vdc, Max 18Vdc, 500mA, 3-6.5W ta: -20°C to +50°C, Class II, NON IC, Thermally protected 110°C
G5S7W700LR-Z	HEP GROUP	Input: 220-240Vac 50-60Hz 85mA, 4.8-7.88W Output: 5.5-9Vdc, Max 25Vdc, 700mA, 3.85-6.3W ta: -20°C to +50°C, Class II, NON IC, Thermally protected 110°C
G5S15W300LR-Z	HEP GROUP	Input: 220-240Vac 50-60Hz 75mA, 9.5-15W Output: 26-42Vdc, Max 53Vdc, 300mA, 8-12.5W ta: -20°C to +50°C, Class II, NON IC, Thermally protected 110°C
G5S15W350LR-Z	HEP GROUP	Input: 220-240Vac 50-60Hz 85mA, 10.5-17W Output: 26-42Vdc, Max 53Vdc, 350mA, 9-14.5W ta: -20°C to +50°C, Class II, NON IC, Thermally protected 110°C
G5S15W500LR-Z	HEP GROUP	Input: 220-240Vac 50-60Hz 85mA, 10.5-18W Output: 18-30Vdc, Max 42Vdc, 500mA, 9-15W ta: -20°C to +50°C, Class II, NON IC, Thermally protected 110°C
G5S15W700LR-Z	HEP GROUP	Input: 220-240Vac 50-60Hz 85mA, 10.5-17.5W Output: 13-21Vdc, Max 32Vdc, 700mA, 9-14.5W ta: -20°C to +50°C, Class II, NON IC, Thermally protected 110°C
G5S15W1050LR-Z	HEP GROUP	Input: 220-240Vac 50-60Hz 95mA, 11-18.5W Output: 9-15Vdc, Max 26dc, 1050mA, 9.5-15.5W ta: -20°C to +50°C, Class II, NON IC, Thermally protected 110°C
G5S20W500LR-Z	HEP GROUP	Input: 220-240Vac 50-60Hz 130mA, 18-24.5W Output: 30-42Vdc, Max 53Vdc, 500mA, 15-21W ta: -20°C to +50°C, Class II, NON IC, Thermally protected 110°C
G5LT15W300LR-Z	HEP GROUP	Input: 220-240Vac 50-60Hz 95mA, 9-17W Output: 26-43Vdc, Max 60Vdc, 300mA, 7.8-12.9W ta: -20°C to +50°C, Class II, NON IC, Thermally protected 110°C


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 24-06-21 211064
Page 2 of 3



A P P R O V A L S ®

Certificate of Approval

Additional Models	Trade Name	Rating/Marking
G5LT15W350LR-Z	HEP GROUP	Input: 220-240Vac 50-60Hz 95mA, 10-19W Output: 26-43Vdc, Max 60Vdc, 350mA, 9.1-15W ta: -20°C to +50°C, Class II, NON IC, Thermally protected 110°C
G5LT15W500LR-Z	HEP GROUP	Input: 220-240Vac 50-60Hz 95mA, 10-19W Output: 18-30Vdc, Max 45Vdc, 500mA, 9-15W ta: -20°C to +50°C, Class II, NON IC, Thermally protected 110°C
G5LT15W700LR-Z	HEP GROUP	Input: 220-240Vac 50-60Hz 95mA, 10-19W Output: 13-21Vdc, Max 35Vdc, 700mA, 9.1-14.7W ta: -20°C to +50°C, Class II, NON IC, Thermally protected 110°C


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 24-06-21 211064
Page 3 of 3